

Model# HRG3080U

Thor Kitchen 30 inch Professional Gas Range



DIMENSION & WEIGHT

Required Cutout Size (W x D x H) (in)

Product Dimension	
Product width	29 7/8"
Product height (from bottom to top of back splash)	37 1/6"
Product height (from bottom to top of side panel)	35 1/3"
Product depth (from back panel to bullnose including gasket)	28 1/4"
Product depth (from back panel to control board including gasket)	26 5/6"
$\label{product} \mbox{Product depth (from back panel to side panel front including gasket)}$	24 3/5"
Depth of control panel (minimum)	3 2/3"
Depth of control panel (bullnose)	1 2/5"
Cast iron cooking grate (W x L)	21 6/7" x 11 1/35"
Adjustable legs	Recommend not to exceed 1/2"

Power plug length

FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Light up the knobs

Zinc Alloy black Controller Knobs

Heavy Duty handle with Zinc Alloy holder

Stainless-Steel Professional look and stronger construction

Blue porcelain oven interior

2 x Halogen Lights

Commercial convection fan

Total Number of Range Ton Rurners

BURNER PERFORMANCE

Total Number of Names Top Dufflers	4 Dufficts
Front Right (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Left (Single)	18,000 BTU
D D: -l-+ /C:l-\	12 000 DTU

1 Rurners

Rear Right (Single) 12,000 BTU Rear Left (Single) 12,000 BTU 13,000 BTU Tube Broil burner U-shape Bake burner 22,000 BTU

TECHNICAL DETAILS

Fuel Type Natural Gas / LP Convertible

Electrical Requirements 120V

Circuit Breaker (A) 15 or 20 A 60 Hz

Frequency (Hz)

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

56 1/4"

32 1/2" x 29 1/2" x 44 3/5"

Model# HRG3618U

Thor Kitchen 36 inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension	
Product width	35 7/8"
Product height (from bottom to top of back splash)	37 1/6"
Product height (from bottom to top of side panel)	35 1/3"
Product depth (from back panel to bullnose including gasket)	28 1/4"
Product depth (from back panel to control board including gasket)	26 5/6"
Product depth (from back panel to side panel front including gasket)	24 3/5"
Depth of control panel (minimum)	3 2/3"
Depth of control panel (bullnose)	1 2/5"
Cast iron cooking grate (W x L)	21 6/7" x 11 1/35"
Adjustable legs	Recommend not to exceed 1/2"

Power plug length

FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Light up the knobs

Zinc Alloy black Controller Knobs

Heavy Duty handle with Zinc Alloy holder

Stainless-Steel Professional look and stronger construction

Blue porcelain oven interior

2 x Halogen Lights

Commercial convection fan

BURNER PERFORMANCE

Total Number of Range Top Burners	6 Burners
Front Right (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Left (Dual Burner with simmer function)	15,000 BTU (650 BTU for Simmer)
Front Middle (Single)	18,000 BTU
Rear Right (Single)	12,000 BTU
Rear Left (Single)	12,000 BTU
Rear Middle (Single)	12,000 BTU
Infrared Broil burner	16,500 BTU
U-shape Bake burner	22,000 BTU

TECHNICAL DETAILS

Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

56 1/4"

39" x 30" x 44 3/5"

Model# HRG4808U

Thor Kitchen 48 inch Professional Gas Range



DIMENSION & WEIGHT

	Product Dimension
47 4/19"	Product width
37 1/6"	Product height (from bottom to top of back splash)
35 1/3"	Product height (from bottom to top of side panel)
28 1/4"	Product depth (from back panel to bullnose including gasket)
26 5/6"	Product depth (from back panel to control board including gasket)
24 3/5"	Product depth (from back panel to side panel front including gasket)
3 2/3"	Depth of control panel (minimum)
1 2/5"	Depth of control panel (bullnose)
21 6/7" x 11 1/35"	Cast iron cooking grate (W x L)
Recommend not to exceed 1/2"	Adjustable legs
56 1/4"	Power plug length

50 2/5" x 29 1/2" x 45 1/3"

FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Light up the knobs

Zinc Alloy black Controller Knobs

Heavy Duty handle with Zinc Alloy holder

Stainless-Steel Professional look and stronger construction

Blue porcelain oven interior

2 x Halogen Lights

Commercial convection fan

BURNER PERFORMANCE

Total Number of Range Top Burners	6 Burners
Front Right (Dual)	18,000 BTU
Front Left (Dual)	18,000 BTU
Front Middle (Single)	18,000 BTU

Rear Right (Dual Burner with simmer function) 15,000 BTU (650 BTU for Simmer) Rear Left (Dual Burner with simmer function) 15,000 BTU (650 BTU for Simmer) Rear Middle (Dual Burner with simmer function) 15,000 BTU (650 BTU for Simmer)

Griddle Burner 15,000 BTU Infrared Broil burner 16,500 BTU U-shape Bake burner 22,000 BTU Tube Bake burner (18-inch oven) 14,000 BTU

TECHNICAL DETAILS

Fuel Type Natural Gas / LP Convertible

Electrical Requirements 120V Circuit Breaker (A) 15 or 20 A Frequency (Hz) 60 Hz

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

Model# HRD3088U

Thor Kitchen 30 inch Professional Dual Fuel Range



DIMENSION & WEIGHT

Required Cutout Size (W x D x H) (in)

Product Dimension

25 , 70	i i oddol i i dii			
37 1/6"	Product height (from bottom to top of back splash)			
35 1/3"	Product height (from bottom to top of side panel)			
28 1/4"	Product depth (from back panel to bullnose including gasket)			
26 5/6"	Product depth (from back panel to control board including gasket)			
24 3/5"	Product depth (from back panel to side panel front including gasket)			
3 2/3"	Depth of control panel (minimum)			
1 2/5"	Depth of control panel (bullnose)			
21 6/7" x 11 1/35"	Cast iron cooking grate (W x L)			
Recommend not to exceed 1/2"	Adjustable legs			

Product width

Power plug length

FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Light up the knobs

Zinc Alloy black Controller Knobs

Heavy Duty handle with Zinc Alloy holder

Stainless-Steel Professional look and stronger construction

Blue porcelain oven interior

2 x Halogen Lights

Commercial convection fan

וום	DNI	ED.	PER	Γ	D M		\sim r
BU	R IN	FR	PFR	120	RIV	IAIN	l F

Total Number of Range Top Burners	4 Burners
-----------------------------------	-----------

Front Right (Dual Burner with simmer function) 15,000 BTU (650 BTU for Simmer)

Front Left (Single) 18,000 BTU
Rear Right (Single) 12,000 BTU
Rear Left (Single) 12,000 BTU

OVEN PERFORMANCE

29 7/8"

56 1/4"

32 1/2" x 29 1/2" x 44 3/5"

Oven Capacity 4.2 cu. Ft

Bake Power 850 W (Top) / 3,000 W (Bottom)

Broil Power 3,500 W

TECHNICAL DETAILS

Fuel Type Natural Gas / LP Convertible

Electrical Requirements 240V, 4-Prong 14-50R Power Outlet

Circuit Breaker (A) 30A
Frequency (Hz) 60 Hz

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

Model# HRD3606U

Thor Kitchen 36 inch Professional **Dual Fuel Range**



DIMENSION & WEIGHT

Required Cutout Size (W x D x H) (in)

Product Dimension	
Product width	35 7/8"
Product height (from bottom to top of back splash)	37 1/6"
Product height (from bottom to top of side panel)	35 1/3"
Product depth (from back panel to bullnose including gasket)	28 1/4"
Product depth (from back panel to control board including gasket)	26 5/6"
Product depth (from back panel to side panel front including gasket)	24 3/5"
Depth of control panel (minimum)	3 2/3"
Depth of control panel (bullnose)	1 2/5"
Cast iron cooking grate (W x L)	21 6/7" x 11 1/35"
Adjustable legs	Recommend not to exceed 1/2"

Power plug length

FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Light up the knobs

Zinc Alloy black Controller Knobs

Heavy Duty handle with Zinc Alloy holder

Stainless-Steel Professional look and stronger construction

Blue porcelain oven interior

2 x Halogen Lights

Commercial convection fan

BURNER PERFORMANCE

Total Number of Range Top Burners	6 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Front Middle (Single)	18,000 BTU

Rear Right (Dual Burner with simmer function) 15,000 BTU (650 BTU for Simmer) Rear Left (Dual Burner with simmer function) 15,000 BTU (650 BTU for Simmer)

Rear Middle (Single) 12,000 BTU

OVEN PERFORMANCE

5.2 cu. Ft Oven Capacity

Bake Power 850 W (Top) / 3,000 W (Bottom)

Broil Power 3,500 W

TECHNICAL DETAILS

Fuel Type Natural Gas / LP Convertible

Electrical Requirements 240V, 4-Prong 14-50R Power Outlet

Circuit Breaker (A) 30A Frequency (Hz) 60 Hz

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

56 1/4"

39" x 30" x 44 3/5"

Model# HRD4803U

Thor Kitchen 48 inch Professional Dual Fuel Range



DIMENSION & WEIGHT

Product Dimension

47 4/19"	Product width
37 1/6"	Product height (from bottom to top of back splash)
35 1/3"	Product height (from bottom to top of side panel)
28 1/4"	Product depth (from back panel to bullnose including gasket)
26 5/6"	Product depth (from back panel to control board including gasket)
24 3/5"	Product depth (from back panel to side panel front including gasket)
3 2/3"	Depth of control panel (minimum)
1 2/5"	Depth of control panel (bullnose)
21 6/7" x 11 1/35"	Cast iron cooking grate (W x L)
Recommend not to exceed 1/2"	Adjustable legs
56 1/4"	Power plug length

50 2/5" x 29 1/2" x 45 1/3"

FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Light up the knobs

Zinc Alloy black Controller Knobs

Heavy Duty handle with Zinc Alloy holder

Stainless-Steel Professional look and stronger construction

Blue porcelain oven interior

2 x Halogen Lights

Commercial convection fan

BURNER PERFORMANCE

Total Number of Range Top Burners	6 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Front Middle (Single)	18,000 BTU

Rear Right (Dual Burner with simmer function)

Rear Left (Dual Burner with simmer function)

15,000 BTU (650 BTU for Simmer)

15,000 BTU (650 BTU for Simmer)

15,000 BTU (650 BTU for Simmer)

Stainless Steel Griddle 15,000 BTU

OVEN AND PERFORMANCE

Oven Canacity	6. / cu. Ft. (4.2 cu. Ft. for 30-inch oven)
Oven Capacity	(2.5 cu. Ft. for 18-inch oven)
Bake Power (30-inch oven)	850 W (Top) / 3,000 W (Bottom)

Bake Power (18-inch oven) 2,500 W (Bottom)

Broil Power (30-inch oven) 3,500 W

TECHNICAL DETAILS

Fuel Type Natural Gas / LP Convertible

Electrical Requirements 240V, 4-Prong 14-50R Power Outlet

Circuit Breaker (A) 40A Frequency (Hz) 60 Hz

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

Model# LRG3001U Thor Kitchen - 30 inch Professional **Gas Range**



DIMENSION & WEIGHT

Pr

Product Dimension	
Product width	29.875"
Product height (from bottom to top of back splash)	36.7"
Product height (from bottom to top of side panel)	33.9"
Product depth (from back panel to bullnose including gasket)	28.3"
Product depth (from back panel to control board including gasket)	27.1"
Product depth (from back panel to side panel front including gasket)	24.8"
Depth of control panel (minimum)	2.3"
Depth of control panel (bullnose)	3.5"
Cast iron cooking grate (W x L)	21.2*11.8"
Adjustable legs	Recommend not to exceed 1"
Power plug length	56 1/4"

FEATURES

Black Porcelain Drip Pan for easy surface cleaning

Heavy Duty Continuous Cast Iron Cooking Grates

Black ABS Knobs

6.0 cu.ft. Oven Capacity

White Flakes with Gray Background Porcelain Oven Interior

1 x Halogen Lights

Commercial Convection Fan

Three layers glass window

Storage drawer at bottom

		FOR	

lotal Number of Range Top Burners	5 Burners
Front Right (Single)	8,000 BTU
Front Left (Single)	18,000 BTU
Middle (Oval)	9,000 BTU
Rear Right (Single)	6,000 BTU
Rear Left (Single)	4,000 BTU
Tube Broil burner	10,000 BTU
U-shape burner (30" Oven)	18,500 BTU

TECHNICAL DETAILS

Fue	l Type	Natural Gas	/ LP	Convertible

Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

30.3" x 27.4" x 36.7"

2 Year Warranty On Parts and Labor

Required Cutout Size (W x D x H) (in)

Model# LRG3601U Thor Kitchen - 36 inch Professional **Gas Range**



Product Dimension

Product width Product height (from bottom to top of island trim) Product height (from bottom to top of drip pan) Product height (from bottom to top of bullnose) Product depth (without door) Product Depth (including door) Product depth (including control board) Product depth (including bullnose) Product Depth (including door handle) Product depth (with door fully-open) Oven Interior Dimension 28 ¾W x 17 ¼D x 17 H in Oven door window Adjustable legs Recommend no more than 1"

FEATURES

Black Porcelain Drip Pan for easy surface cleaning

Heavy Duty Continuous Cast Iron Cooking Grates

Black ABS Knobs

6.0 cu.ft Oven Capacity

White Flakes with Gray Background Porcelain Oven Interior

1 x Halogen Lights

Commercial Convection Fan

Three layers glass window

Storage drawer at bottom

BURI	NER	PERF	ORI	MAN	ICE
DOM	4517		O11	AIN AL	

Front Right (Single)

Total Number of Range Top Burners

	S (S)	,
	Front Left (Single)	18,000 BTU
	Front Middle (Single)	12,000 BTU
36 in	Rear Right (Single)	9,000 BTU
36 7/8 in	Rear Left (Single)	9,000 BTU
35 1/2 in	Rear Middle (Single)	12,000 BTU
36 1/8 in	Tube Broil burner	10,000 BTU
24 in	U-shape burner (30" Oven)	18,500 BTU

26 7/16 in TECHNICAL DETAILS

Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

6 Burners

18,000 BTU

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

2 Year Warranty On Parts and Labor

Power plug length

26 5/16 in

27 1/2 in

29 1/2 in

48 1/8 in

Required Cutout Size $(W \times D \times H)$ (in)

36 ¼W x 24 ½ D x 35 ½ H

Model# LRG4801U

Thor Kitchen - 48 inch Professional Gas Range



DIMENSION & WEIGHT

Product Dimension

Product width	47 .875"
Product height (from bottom to top of back splash)	37.2"
Product height (from bottom to top of side panel)	34.9"
Product depth (from back panel to bullnose including gasket)	27.4"
Product depth (from back panel to control board including gasket)	27.1"
Product depth (from back panel to side panel front including gasket)	24.8"
Depth of control panel (minimum)	2.3"
Depth of control panel (bullnose)	3.5"
Cast iron cooking grate (W x L)	21.85*11"
Adjustable legs	Recommend not to exceed 1"
Power plug length	56 1/4"
Required Cutout Size (W x D x H) (in)	48.2" x 27.2" x 36"

FEATURES

Black Porcelain Drip Pan for easy surface cleaning

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Black ABS Knobs

30" Oven

4.6 cu.ft. Oven Capacity, White flakes with Grey background Porcelain Oven

Interior

2 x Halogen Lights

Commercial Convection Fan

18" Oven

2.2 cu.ft. Oven Capacity

White flakes with Grey background Porcelain Oven Interior

1 x Halogen Light

BURN	JER F	PERF	orm	ANCE
------	-------	------	-----	------

Total Number of Range Top Burners	6 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Front Middle (Single)	12,000 BTU
Rear Right (Single)	9,000 BTU
Rear Left (Single)	9,000 BTU
Rear Middle (Single)	12,000 BTU
Griddle Burner	15,000 BTU
Tube Broil burner	10,000 BTU
U-shape burner (30" Oven)	22,000 BTU
Tube burner (18" Oven)	14,000BTU

TECHNICAL DETAILS

Fuel Type	Natural Gas / LP Convertible
Electrical Requirements	120V
Circuit Breaker (A)	15 or 20 A
Frequency (Hz)	60 Hz

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

Model# HRT3003U

Thor Kitchen 30 inch Professional Range Top





FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Control Panel Light

Zinc Alloy Controller Knobs

304 Stainless Steel Control Panel

BURNER PERFORMANCE

Total Number of Range Top Burners	4 Burners
Front Right (Single)	18,000 BTU
Front Left (Single)	18,000 BTU
Rear Right (Single)	12,000 BTU

Rear Left (Dual burner with simmer function) 15,000 BTU (650 BTU for Simmer)

TECHNICAL DETAILS

Fuel Type Natural Gas / LP Convertible

Electrical Requirements 120V Circuit Breaker (A) 15 or 20 A

Frequency (Hz) 60 Hz

DIMENSION & WEIGHT

Product Dimension (W x D x H) (in) 30" W x 27 1/2" D x 9 1/4"H

Required Cutout Size (W x D x H) (in) 30 1/4" x 24" x 7 5/8"-7 7/8"

Product Net Weight 70 lbs.
Adjustable Range Legs 1/2"

Package Dimension: 33"L x 30" W x 13 3/8" H

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

Model# HRT3618U

Thor Kitchen 36 inch Professional Range Top





FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Control Panel Light

Zinc Alloy Controller Knobs

304 Stainless Steel Control Panel

BURNER PERFORMANCE

Total Number of Range Top Burners 6 Burners Front Right (Single) 18,000 BTU

Front Middle (Dual burner with simmer function) 15,000 BTU (650 BTU for Simmer)

Front Left (Single) 18,000 BTU 3 Rear Burners (Single) 12,000 BTU

TECHNICAL DETAILS

Fuel Type Natural Gas / LP Convertible

Electrical Requirements 120V

Circuit Breaker (A) 15 or 20 A

Frequency (Hz) 60 Hz

DIMENSION & WEIGHT

Product Dimension (W x D x H) (in) 36" W x 27 1/2" D x 9 1/4"H

Required Cutout Size (W x D x H) (in) 36 1/4" x 24" x 7 5/8"-7 7/8"

Product Net Weight 90 lbs.
Adjustable Range Legs 1/2"

Package Dimension: 39"L x 30" W x 13 3/8" H

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

Model# HRT4806U

Thor Kitchen 48 inch Professional Range Top





FEATURES

Black Porcelain Drip Pan On Cook Top

Heavy Duty Continuous Cast Iron Cooking Grates

Automatic Re-Ignition Safety Feature

Blue LED Control Panel Light

Zinc Alloy Controller Knobs

304 Stainless Steel Control Panel

BURNER PERFORMANCE

Total Number of Range Top Burners 6 Burners 3 Front Burners (Single) 18,000 BTU

3 Rear Burners (Dual burner with simmer function) 15,000 BTU (650 BTU for Simmer)

Stainless Steel Griddle 15,000 BTU

TECHNICAL DETAILS

Fuel Type Natural Gas / LP Convertible

Electrical Requirements 120V

Circuit Breaker (A) 15 or 20 A

Frequency (Hz) 60 Hz

DIMENSION

Product Dimension (W x D x H) (in) 48" W x 27 1/2" D x 9 1/4"H

Required Cutout Size (W x D x H) (in) 48 1/4" x 24" x 7 5/8"-7 7/8"

Adjustable Range Legs 1/2"

ACCESSORIES (NOT INCLUDED)

Liquid propane Gas Conversion Kit

WARRANTY

Model#

HRH3006U/ HRH3606U/ HRH4806U

(06 SERIES RANGE HOOD)

THOR Kitchen Under Cabinet Canopy Pro Style Range Hood in Stainless Steel with Anti-Fingerprint Finish (30" / 36" / 48")



FEATURES Controls 3 Speed Fan Touch Control Buttons Installation Type Ducted (Top) Illumination 30" / 36" Two (2) 1.5W LED Light

48"

Blower 30" / 36" 900 CFM One (1) 6 % Round Duct

48" 900 CFM One (2) 6 1/8" Round Duct

Three (3) 1.5W Long Life LED Light

Filter Type Baffle Filters / Stainless Steel / Dishwasher Safe

Special Function 15 Minutes Pre-Programmed Auto Shut-Off

0	_	_	\sim 1			A =	-1	$\overline{}$	M
5	ר	Е		ы	C	ΑΙ		U	N
			_						

Size	30", 36", 48"	
Models	HRH3006U	29 ¾"(W) x 21 5/8"(D) x 9 1/8"(H)
	HRH3606U	35 ¾"(W) x 21 ½"(D) x 9 ½"(H)
	HRH4806U	47 ¾"(W) x 21 5%"(D) x 9 1/8"(H)
Type / Finish	Under Cabinet F	Range Hood / Stainless Steel
	Anti-Fingerprint	with Luster
Electrical	15 Amps at 120 Volts	

Certification CSA Certified

Product Description: 30-in Wall Mount Chimney Range Hood in Stainless Steel with LED Lights, Touch Control with Display and Remote Control








Replacement Model for HRH3004U

Range Hood Size	30in	Appliance Type	Wall Mount / touch control with display
Product Width(in)	30in	CFM	600
Product Depth(in)	19in	Voltage	120V
Product Height(in)	11 7/8" (without duct covers) 45.5" (including duct covers)	Wattage	337W
Duct Length(in)	34 in	Color/Finish	Stainless steel
Duct Width(in)	Diameter:6in	Certifications	ETL
Duct Shape	Round	UPC#	6926697001233
Amperage	/	Filter type	430SS Baffle filter
Gross Weight (lbs.)	38.4	Blower type	/
Net Weight (lbs.)	28.3	Control type	Remote control
Fan Speeds	3 speed	Ceiling Height (Min.)	8 feet
Noise level (Max.)	60 dB	Installation type	Wall mount
Lighting	Dual 3.5W GU10 LED light	Power	1

THOR

Product Description: 30-in Wall Mount Chimney Range Hood in Stainless Steel with LED Lights, Touch Control with Display and Remote Control



Duct size	Diameter:	Loading	40'HQ: 310 pcs
	6 in	Information	
Duct Discharge		Features	 Wall mount design Touch control with display 3 speed with Max. 600CFM Clean canopy design Durable brushed stainless steel Easy lamp replacement without tools Extension chimney included Dual 3.5W GU10 LED light Large, full 430SS baffle filter Remote control Clock shown, delay off, filter clean reminder Vertical vent diameter 6" round
Hood Cover size	1		
Ceiling Height (Max)	9 feet		
Frequency	60HZ		



Control with Display and Remote Control








Range Hood Size	36in	Appliance Type	Wall Mount、Touch control with display
Product Width(in)	36in	CFM	600
Product Depth(in)	19in	Voltage	120V
Product Height(in)	11 7/8" (without duct covers) 45.5" (including duct covers)	Wattage	337W
Duct Length(in)	34 in	Color/Finish	Stainless steel
Duct Width(in)	Diameter:6 in	Certifications	ETL
Duct Shape	Round	UPC#	6926697011119
Amperage	/	Filter type	430SS Baffle filter
Gross Weight (lbs.)	41.8	Noise level (Max.)	60 dB
Net Weight (lbs.)	30.2	Control type	Remote control
Fan Speeds	3 speed	Ceiling Height (Min.)	8 feet
Lighting	Dual 3.5W GU10 LED light	Installation type	Wall mounted

Replacement Model for HRH3604U

Product Description: 36-in Wall Mount Chimney Range Hood in Stainless Steel with LED Lights, Touch Control with Display and Remote Control





Duct size	Diameter: 6in	Loading Information	40'HQ: 260 pcs
Duct Discharge		Features	 Wall mount design Touch control with display Speed with Max.600CFM Clean canopy design Durable brushed stainless steel Easy lamp replacement without tools Extension chimney included Dual 3.5W GU10 LED light Large, full 430SS baffle filter Remote control Clock shown, delay off, filter clean reminder Vertical vent diameter 6" round
Hood Cover size	1		
Ceiling Height (Max)	9 feet		
Frequency	60HZ		

Product Description: Lycan - 30in Wall Mount Chimney Range Hood in Stainless Steel with Push Button Model # LRH3001





Range Hood Size	30in	Appliance Type	Wall Mount
Product Width(in)	30in	CFM	400
Product Depth(in)	19in	Voltage	120V
Product Height(in)	43.5in	Wattage	220W
Duct Length(in)	59 in	Color/Finish	Stainless Steel
Duct Width(in)	Diameter:6in	Certifications	ETL
Duct Shape	Round	UPC#	<u>6926697025611</u>
Amperage		Filter type	430SS Baffle Filter
Gross Weight(lbs.)	31.3	Duct size	Diameter: 6in
Net Weight(lbs.)	25.6	Control type	Push Button
Fan Speeds	3 speed	Ceiling Height (Min.)	8 to 9 feet
Noise level (Max.)	58 dB	Installation type	Wall mount
Lighting	Dual 50W GU10 halogen light	Frequency	60HZ



Model # LRH3001



Duct Discharge	Diameter:6 inch
Ceiling Height (Max)	9 feet
Shipping Dimension(in)	32*14*22
Features	 Wall Mount Design Push Button 3 speed 400 CFM airflow Clean canopy design Easy lamp replacement without tools Durable brushed stainless steel Extension chimney included Dual 50W GU10 halogen light Vertical vent 6" round Outlet adapter included Aluminum filter



Model# TBC2401DI

Product Description: 24-inch Indoor Dual Zone Beverage Center



Wine Cooler Size	24''	Number of Shelves	Left zone: 6pcs Right zone: 3pcs
Product Width(in)	23.43	Wine Cooler Shelf Material	Left zone: Beech wood Right zone: Metal with plastic dipping
Product Depth(in)	23.82	Number of Doors	2
Product Height(in)	34.25	Temperature Range (F)	Left zone: 41-65°F Right zone: 38-65°F
Depth Excluding Handles(in)	23.82	Color/Finish	Black housing and S.S. door trims
Depth Including Handles	25.39	Type of Cooling Unit	No Frost
Depth without Door	22.05	Voltage(volts)	110V-120V/60Hz
Depth with Door Open 90 Degrees	34.25	Gross Weight(lbs.)	142.85
Height to Top of Door Hinge	34.25	Net Weight(lbs.)	121.25
Wine Cooler Type	Built-in or Freestanding, indoor use	Certifications	ETL/CEC
Adjustable Racks	Only for right zone, 3 black wire shelves	UPC#	<u>6926697044445</u>
Bottle Capacity	21 bottle and 95 cans	Shipping Dimension	H39.69*W29.72*D30.16in
Defrost Type	Automatic	Features	See next page





Features:

- -21 bottle for left zone and 95 can for right zone (5.24 cu.ft)
- -Indoor use wine cooler
- -Independent dual zone (Left zone: 41-65°F, Right zone: 38-65°F)
- -Fan assisted cooling
- -Seamless S.S door frame (45mm) with S.S. handle
- --Non-reversible door
- -Black painting exterior housing and rear plate
- -S.S. vent kickplate
- -6pcs beech wood shelves with rolling slideways+3pcs wire shelves with wooden front
- -LCD display with 2pcs **blue** lightings on top and 3pcs on each side
- -Adjustable electronic touch control C° or F°
- -Door opening alarm
- -Temperature alarm
- -Humidity display
- -Activated charcoal filter (2pcs)
- -Heating elements for winter function
- -4pcs adjustable feet
- -Auto-defrost function with an interior circulating
- -2pcs evaporators for accurate temperature control
- -Self contained condenser



Model# TWC2401DO

Product Description: 24-inch
Outdoor Dual Zone Wine
Cooler



Wine Cooler Size	24"	Number of Shelves	5+1
Product Width(in)	23.43	Wine Cooler Shelf Material	Beech wood
Product Depth(in)	23.82	Number of Doors	1
Product Height(in)	34.25	Temperature Range (F)	41-64°F / 5-18°C
Depth Excluding Handles(in)	23.82	Color/Finish	S.S housing and S.S. door trims
Depth Including Handles	25.39	Type of Cooling Unit	No Frost
Depth without Door	22.05	Voltage(volts)	110V-120V/60Hz
Depth with Door Open 90 Degrees	46.06	Gross Weight (lb.)	152
Height to Top of Door Hinge	34.25	Net Weight (lb.)	130
Wine Cooler Type	Built-in or Freestanding, indoor or outdoor use	Certifications	Residential ETL/CEC
Adjustable Racks	No (with rolling slideways)	UPC#	<u>6926697022221</u>
Bottle Capacity	46	Shipping Dimension	H39.69*W29.72*D30.16in
Defrost Type	Automatic	Features	See next page







Features:

- -46 bottles capacity (5.43 cu.ft)
- -Indoor or outdoor use wine cooler
- -Thunder proof and water proof
- -Independent dual zone (each zone reach 41°F 64°F)
- -Fan assisted cooling
- -Seamless S.S door frame (60mm) with S.S. handle(304SS)
- -SS Compressor Rear Cover (304SS)
- -Dual pane of Low-E glass to filter UV rays
- -Reversible door (180° flip-over)
- -S.S. exterior housing and rear plate (304SS)
- -S.S. vent kickplate
- -5+1 beech wood rolling shelves with rolling slideways(Full Extension)
- -LCD display with 2pcs **blue** lightings on top
- -Adjustable electronic touch control C° or F°
- -Door opening alarm
- -Temperature alarm
- -Activated charcoal filters (2pcs)
- -Heating elements for winter function
- -4pcs adjustable feet
- -4pcs casters available for an additional cost
- -No frost
- -2pcs evaporators for accurate temperature control
- -Self contained condenser
- -Refrigerant: R600a

HWC2404U

Product Description: 24-inch three zone built-in Wine Cooler





Wine Cooler Size	Upper wine cooler: 10.6 cu. ft Bottom drawer: 9.9 cu. ft	Wine Cooler Shelf Material	Beech
Product Width(in)	29.5 "	Number of Doors	One of wine storage, Two doors of beer storage
Product Depth(in)	27"	Temperature Range (F)	Upper chamber: 46-55°F (8-13°C); Lower chamber:55-64°F (13-18°C); Bottom Drawer:34-46°F (1-8°C)
Product Height(in)	74"	Color/Finish	Black cabinet and stainless-steel door frame
Depth Excluding Handles(in)	27"	Type of Cooling Unit	Compressor and air-cooling style
Depth Including Handles	29"	Voltage(volts)	110-120V
Depth without Door	24.8"	Gross Weight(lbs.)	373 Lbs
Depth with Door Open 90 Degrees	55.1"	Net Weight(lbs.)	338 Lbs
Height to Top of Door Hinge	74"	Certifications	ETL
Wine Cooler Type	Built in or freestanding	UPC#	6926697011126
Adjustable Racks	Yes		
Bottle Capacity	128 wine bottles and 80 beer cans	Features	- Adjustable handcrafted natural beech wooden shelves without chemical aromas influence to
Defrost Type	Auto		wines flavors and looks attractive - Touch pad digital control with LED readout;
Number of Doors	One of wine storage, Two doors of beer storage		 No frost Design with interior circulating; LED interior lighting enhances visibility; Full extension drawer slides; 304 stainless steel drawer interiors, ideal for
Number of Shelves	9 Wood shelves		food storage.

Model# HWC2405U

THOR Kitchen 18 inch 40 Bottle Single Zone Built-in/Freestanding Wine Cooler

Features

Type Built-in installation or Freestanding

Temperature Zone 40-65°F

Capacity 40 Bottles (Standard Bordeaux 750 ml

bottles / 2.75" in diameter)

Exterior Finish Stainless Steel

Noise Level 41db

Cooling System Compressor Powered Cooling

No Frost Air Circulating Design

Lighting White LED Interior Light

Door/Window Double Tampered Glass Window with

Stainless Steel Door Frame

Specification

Cirtifications ETL, CSA, UL

Shelves 6 Wooden Shelves

Refrigerant R600a

Rated Current Amps 1.4 A

Input power 100 W

Ambient Temperature 46-100°F

Rated Voltage/Frequency 115V/60Hz

Product Dimension 17.75 x 22.75 x 34.25 in. (W/D/H)

RoHS Compatible Unit Energy Class: A, DOE



Model# HWC2408U

24" Wide 133-Bottle Built-In Dual Zone Wine Cooler

Features

Type Built-in / Freestanding installation

Temperature Zone Upper Zone 5-12°C / 41-54°F

Lower Zone 12-18°C / 54-65°F

Capacity Wine storage: 133 bottles / 380 L.

(Standard Bordeaux 750 ml bottles / 2.75" in diameter)

Exterior Finish Stainless steel trimmed glass door with tempered

double pane smoked glass

Noise Level 45 db.

Cooling System Compressor Powered Cooling

No Frost Air Circulating Design

Lighting White LED Interior Light / Blue LED Touch Control

Wine Rack Wooden Racks With Ball Bearing Slides

Specification

Cirtifications ETL Certified

Shelves 13 Ball Bearing Sliding Wooden Shelves

Refrigerant R600a

Input power 130 W / 1.8 Amps

Rated Voltage/Frequency 110V-120V/60Hz

Power Plug 65 inch

Product Width 23 %"

Product Depth 24 %" (Exclude door) 26 %" (with Door)

28 ¼" (with handle) 49" (with door open)

Product Height 62 ½" (exclude hinge) 62 ¾" (with hinge)











Product Weight and Load QTY information

Product Net / Gross Weight

201 lbs. / 210 lbs.

UPC Code

6926697024089

Model# TWC2402

21-inch 12 hottles wine cooler



Wine Cooler Size	24-inch 42 bottles wine cooler	Wine Cooler Shelf Material	Metal wood
Product Width(in)	23 1/2"	Number of Doors	One door
Product Depth(in)	23"	Temperature Range (F)	41-68°F both two sides
Product Height(in)	34 1/4"	Color/Finish	Black cabinet and stainless steel door frame
Depth Excluding Handles(in)	23"	Type of Cooling Unit	Compressor and air cooling style
Depth Including Handles	26 1/8"	Voltage(volts)	110-120V
Depth without Door	21 1/2"	Gross Weight(lbs.)	108 Lbs
Depth with Door Open 90 Degrees	34"	Net Weight(lbs.)	99 Lbs
Height to Top of Door Hinge	34 1/4"	Certifications	ETL
Wine Cooler Type	Built- in or freestanding	UPC#	6926697057568
Adjustable Racks	Yes	Features	1.Seamless stainless steel
Bottle Capacity	42 wine bottles		door; 2.Touch pad digital control
Defrost Type	Auto		with LED readout;
Number of Doors	Two door		3.Auto-defrost function with an interior circulating;
Number of Shelves	10 Metal shelves		4.LED interior lighting

Model# TWC24TBDI

24-inch built-in Dual zone Wine Cooler









DESCRIP'	TION	HIGHLIGHTED SPECIFICATIONS	
24-inch 191	L Bottle	Dual Zone Temperatures	3-color LED Interior Lighting
Professional Series Dual		SS Door/Handle	Auto-Defrost Design
Zone Wine Co Sabbath I		Built-In or Freestanding	Seamless SS Double Pane Glass Door

Model# TWC1501

15-inch 33 bottles wine cooler



Wine Cooler Size	33 bottles wine cooler	Wine Cooler Shelf Material	Beech wood
Product Width(in)	15"	Number of Doors	One door
Product Depth(in)	22 13/16"	Temperature Range (F)	41-68°F
Product Height(in)	34 1/4"	Color/Finish	Black cabinet and stainless steel door frame
Depth Excluding Handles(in)	22 13/16"	Type of Cooling Unit	Compressor and air cooling style
Depth Including Handles	24 19/32"	Voltage(volts)	110-120V
Depth without Door	20 13/16"	Gross Weight(lbs.)	84 Lbs
Depth with Door Open 90 Degrees	36 19/32"	Net Weight(lbs.)	74 Lbs
Height to Top of Door Hinge	34 1/4"	Certifications	ETL
Wine Cooler Type	Built- in or freestanding	UPC#	6926697058923
Adjustable Racks	Yes	Features	1.Adjustable handcrafted
Bottle Capacity	33 wine bottles		natural beech wooden shelves without chemical
Defrost Type	Auto		aromas influence to wines
Number of Doors	One door		flavors and looks attractive; 2.Touch pad digital control with LED readout;
Number of Shelves	6 Wood shelves		3.No frost with an interior circulating; 4.LED interior lighting; 5.Security lock; 6.Door open alarm; 7. Sabbath Mode

Model # HDW2401SS

24in Built-in Pro Style Dishwasher in Black Stainless Steel



Features:

Delayed Start (Pre-programmed 1 - 24 hrs)

Multiple Filter System

45 dB Noise Level

Smart Wash System

3 Spray Arms

Removable Utensil Basket

3 racks

Control-Lock (Same as child lock)

Specification:

Size 24 inch built-In dishwasher

Depth with door open50 inchProduct Weight91lb (41kg)Power Supply120volts, 60Hz

Rated Power Usage Wash motor 95W Heater 840W

Power of Heating Element 120V / 840W

Inlet Water Temperature

Minimum 120°F (49°C)

Water Feed Pressure 20 ~ 120 psi (138~ 828kPa)

Water Consumption 3.5 gallons (by DOE)

System Outlet Hose Length 59"

Washing Performance80 Plus CertifiedWater Consumption $\leq 13.31L (3.1gal)$ Energy Saving Class At A++CSA Certificated

Model # HRF2401U

24 in. 5.3 cu. ft. Double Drawer Under-Counter Refrigerator in Stainless Steel, Counter Depth

Specification	
Temperature Range	32°F ~ 50°F
Ambient Temperature	Up to 109°F
Lighting	White LED Interior Lights
Installation Type	Built-In or Freestanding Installation
Control	Digital Control
Cooling Type	Ventilated cooling
Features	No Frost Design
	304 Stainless Steel Drawers Soft-closing drawers
Certification	ETL / CETL / DOE / ROHS
Product Dimension	23.6"W x 23.6"D x 34"H
Cutout Requirement	24"W x 22"D x 34.25"H
Product Net Weight	128 lbs.



- When using outdoor, this unit does not need additional parts/kit or leave extra space.
- Please make sure nothing covers the vent located at the front bottom of the refrigerator.

Model # HRF3601F

THOR Kitchen 36in Counter Depth French Door Freestanding Refrigerator with Automatic Ice Maker in Stainless Steel



CAPACITY

Total Unit Gross Capacity 20.85 cu. ft.
Refrigerator Gross Capacity 15.16 cu. ft.
Freezer Gross Capacity 5.69 cu. ft.

FEATURES

Counter Depth French Door

2-Drawer Freezer

Full-Width Chiller Drawer

Retractable Shelf

Dual Cycle and Dual Air-Cooled Refrigeration System

2 Large Humidity Controlled Fresh Food Drawers

Automatic Ice-Maker

TECHNICAL DETAILS

Rated Current (A)	2.7 A
Defrost Current (A)	3.5 A
Volts (V)	115 V
Frequency (Hz)	60 Hz
Plug Type	120V-3 Pror

Plug Type 120V-3 Prong Refrigerant R134a, 6.35 oz.

REFRIGERATOR

Lighting High-Efficiency LED

Number of Shelves - Refrigerator 5

Adjustable Shelves - Refrigerator 4 Half-Width
Shelf Material - Refrigerator Tempered Glass
Type of Shelves - Refrigerator Tempered Glass

Gallon Storage Bins 4
Humidity Control Drawer 2

Defrost Process Freezer Automatic

Defrost Process Refrigerator Frost-Free



Model# HRF3602

Thor Kitchen - 22.5 cu. ft. 4-Door French Door Refrigerator with Recessed Handle in Stainless Steel, Counter Depth



Counter Depth	Yes	Water Dispenser	No
Shelf material	glass+stainless	Water Filter	No
Ice maker	Automatic	Loading Information (20' / 40' / 40HQ)	18/36/48

Refrigerator Size	36 inch	Number of Doors	4
Product Width(in)	35.8	Number of Shelves	6
Product Depth(in)	28.7	Number of Freezer Baskets/Bins	4
Product Height(in)	69.9	Refrigerator Shelf Material	Plastic
Depth Excluding Handles(in)	28.7	Freezer Bin/Shelf Material	Plastic
Depth Including Handles	No Handle	Color/Finish	Stainless Steel
Depth without Door	24.4in	Gross Weight(lbs.)	297.6
Depth with Door Open 90 Degrees	43.15in	Net Weight(lbs.)	284.4
Height to Top of Door Hinge	69.80in	Certifications	UL
Height to Top of Refrigerator	68.70in	UPC#	6926697052037
Refrigerator Type	French Door Refrigerator		
Refrigerator Capacity	16 cu. ft	Refrigerator Features	Adjusts for Bottle Size,Counter Depth,Door Alarm,Interior Light,LED Light Type,Refrigerator Light
Freezer Capacity	6.5 cu. ft	Freezer Features	Adjustable Temperature Control Ice Maker 24.4 inch width 6 gallon bottle frames silver interior



Model# HRF3602BS

Thor Kitchen 22.5 cu. ft. 4-Door French Door Refrigerator with Recessed Handle in Black Stainless Steel, Counter Depth



Counter Depth	Yes	Water Dispenser	No
Shelf material	glass+stainless	Water Filter	No
Ice maker	Automatic	Loading Information (20' / 40' / 40HQ)	18/36/48

Refrigerator Size	36 inch	Number of Doors	4
Product Width(in)	35.8	Number of Shelves	6
Product Depth(in)	28.7	Number of Freezer Baskets/Bins	4
Product Height(in)	69.9	Refrigerator Shelf Material	Plastic
Depth Excluding Handles(in)	28.7	Freezer Bin/Shelf Material	Plastic
Depth Including Handles	No Handle	Color/Finish	Black Stainless
Depth without Door	24.4in	Gross Weight(lbs.)	297.6
Depth with Door Open 90 Degrees	43.15in	Net Weight(lbs.)	284.4
Height to Top of Door Hinge	69.80in	Certifications	UL
Height to Top of Refrigerator	68.70in	UPC #	BS:6926697058961
Refrigerator Type	French Door Refrigerator		
Refrigerator Capacity	16 cu.ft.	Refrigerator Features	Adjusts for Bottle Size, Counter Depth, Door Alarm, Interior Light, LED Light Type, Refrigerator Light
Freezer Capacity	6.5 cu.ft.	Freezer Features	Adjustable Temperature Control Ice Maker 24.4 inch width 6 gallon bottle frames silver interior black stainless

HRF3602 / HRF3602BS

Product Description: 36-inch 4-door French Door Refrigerator with Recessed Handle in Stainless Steel (HRF3602) or Black Stainless Steel (HRF3602BS)









Dimension (in)	W 35.8 X H 69.9 X D 28.7		
Capacity (cu. ft.)	22.5 (R:16, F:6.5)		
Climate	T		
Energy	E-Star		
Ice-maker	Automatic		
Ice capacity	4.0 lbs./24h		
Loading	48 pcs/ 40 HQ		
Display	Digital		
Gallon size	6 gallon bins		
Lighting	LED (Top and sides)		
C/D	24inch		
Noise	42dB		
ADA design	Yes		
Cooling system	Single		
Humidity control	Yes		
MAP Price	\$2199 (HRF3602) / \$2299 (HRF3602BS)		

Compared to HRF3601F

24.4 inches Depth, designed to meet the most efficient requirement for customer's cabinet


E-Star Energy with R600a Refrigeration

Enlarged refrigeration storage space

New Drawer Design with more space


Black Stainless Steel Available

Recessed Handle Design



Package Dimension (in): 38.6 * 31.5 * 73.8

HRF3602 / HRF3602BS





Large Door Bin Cabinets providing additional storage with convenience for customers



Model# HRF3603F

Thor Kitchen 36-inch 4-door cross-gate Refrigerator with Recessed Handle

Refrigerator Size	21cu.ft(14.2+3.9+3, 9)	Number of Doors	4
Product Width(in)	35.9	Number of Shelves	2
Product Depth(in)	30.6	Number of Freezer Baskets/Bins	6
Product Height(in)	71.3	Refrigerator Shelf Material	Glass
Depth Excluding Handles(in)	30.6	Freezer Bin/Shelf Material	Plastic
Depth Including Handles	30.6	Color/Finish	Inox looking
Depth without Door	26inch	Gross Weight(lbs.))	308.5
Depth with Door Open 90 Degrees	44.5inch	Net Weight(lbs.)	275.5
Height to Top of Door Hinge	71.3inch	Certifications	UL
Height to Top of Refrigerator	70.5inch	Refrigerator Features	No frost, Multi Airflow, Recessed handle, LED light, Full-width adjustable shelf, French pantry, XXL door balcony, Organized drawers, Electronical touch control
Refrigerator Type	Cross door No frost		
Refrigerator Capacity	14.2 cu. ft.	Freezer Features	Automatic icemaker in Freezer, Soft freeze compartment
Freezer Capacity	3.9+3.9 cu.ft.		
Counter Depth?	No	Ice maker?	Yes
Shelf material?	Glass	Water Filter?	No
Water Dispenser?	No	Loading Information	28/40HQ





Features:

- Four Cross-Gate; Defrost Function;
- US DOE Certification; recessed handle;
- Imitating Stainless Steel Panel; LED light design;
- Semi-Auto Icemaker; Inverted Compressor;
- Electronic Control Temperature sensor



Model# HPO01SS Outdoor Pizza Oven

Spec:

- Carton Size: 33.46"W * 33.46"D * 23.62"H
- G.W.:218.3 Lbs. N.W.:178.6 Lbs.
- Wooden frame size:35.03 "W * 35.03 "D * 27.56"H
- 1 Year Limited Warranty on Parts
- UPC# 6926697001011

Features:

- Wood Burning Design, Firebricks included
- Stainless Steel Arch and Cart (SS#430)
- Solid Weld Construction with Doors and Wheels
- Must be used with the cart
- Temperatures of 500-700 Degrees with built-in Thermometer
- Dimension: 32.3"W *28.75"D * 47.25"H
- Cooking Area: 0.48m^2 (25.2" \times 29.5")

Accessories available

Brush, Pizza Cutter, Pizza Peel and Pizza/Pie Server















Pro-Style Modular Outdoor Kitchen Suite











THOR Kitchen Pro-Style Modular Outdoor Kitchen Prep Station

- 2 storage drawer
- Bottom storage cabinet
- Bottle opener
- Storage tray



THOR Kitchen Pro-Style 31 inch 4-Burner Built-in Propane Gas Island Grill in 304 Stainless Steel with Infrared Rotisserie Burner

- 4 x 12,000 BTU tube burner
- 1 x 10,000 BTU Infrared Rotisserie Burner
- LED Lights for Knobs
- Halogen light inside BBQ



THOR Kitchen Pro Style Modular Outdoor Kitchen Propane Gas 2 burner Griddle Module

- Include a stainless steel lid
- 2 x 10,000 burner
- 2 x storage drawer



THOR Kitchen Pro-Style Modular Outdoor Kitchen Wood Burning Pizza Oven Module

- Classic wood burning oven
- Ceramic pizza stone
- Not just for pizza
- Storage tray
- Extra large bottom storage cabinet



THOR Kitchen Pro Style Modular Outdoor Kitchen Bar Center

- Storage tray
- Bottle opener
- Storage cabinet
- Kitchen sink



THOR Kitchen Pro Style Modular Outdoor Kitchen Refrigerator Cabinet Module

- Provide outdoor appliances with a flush built-in look
- Provide additional prepping space



HRF2401U

- Soft close Drawer
- White LED light
- Pro handle
- 304 ss drawer panel
- ETL listed for outdoor use



TWC2401DO

- Dual-zone design
- 46 bottle capacity
- Blue LED light
- Door alarm
- Security lock
- Low-E coated glass
- 304 ss drawer panel
- ETL listed for outdoor use